




Scan the code
to watch the video



deconovo
your home decor specialists


Motorized Roller Shade User Manual

| Direct-Connect Zigbee Motor



CONTENTS


01	Remote control pairing Features, application & operation instructions 03 Delete All Pairings(Method A & Method B) 04
02	How to install on the wall? Preparation, accessories & inside mount 05 Outside mount(Installation steps) 06
03	How to Connect the Motor to Amazon Alexa and the Alexa App Alexa app setup, Zigbee pairing & voice control 07
04	How to Connect the Roller Shade to the SmartThings App 10



Remote control pairing


I .Features

- 1、Energy Saving Patent.
- 2、Built-in Rechargeable Lithium Battery Pack.
- 3、It has automatic correction function for the displacement generated by braking.
- 4、The built-in control parts of motor are sealed well for bettesafety
- 5、It's easy to switch the mode between inching and interlockand control operation direction.
- 6、Electronic limits setting,6 limits can be set (2 end limits and 4 middlelimits).
- 7、Short circuit protection & open circuit protection for sensor.
- 8、Built-in low power Bluetooth module and APP intelligent controfunction.



II .Application

It can be fully charged within 4 hours,Please unplug the charger when fully charged.



! CAUTION!

Please charge lithium battery devices at least 6h every 6 months to extend battery life.

III.Operation Instruction

1.Power ON



Slide the switch to "I"
to turn on the motor



Press the Pairing
button for 1 second
then release it. The
motor will jog once



Press the UP button on the remote
The motor will jog again to confirm
the pairing is complete

2.Programming Preparation

*If there is no action in 10 seconds, the motor will exit programming automatically



1、 To set the upper limit, first open the battery cover on the back of the remote and locate the small programming button.

2、 Move the roller shade to the desired position. Press the round button on the back of the remote, then press the UP button, and press the round button again. The motor will jog to confirm the upper limit is set.

3、 To enable jog mode,press and hold thestop button for 5seconds. The motorwill jog once. Then press the stop button once. The motor will jog again to confirm jog mode is enabled.

3.Delete All Pairings

*Method A



First, press the pairing button twice with short presses (about 1 second each), then press and hold the pairing button twice (about 5 seconds each). The motor will jog twice, indicating that all remote control pairings have been successfully deleted. After unpairing, the remote control will no longer operate the roller shade.

*Method B



First, press and hold the middle button on the remote control for 5 seconds until the motor jogs once. Then press and hold the button on the back of the remote control for 7 seconds. The motor will jog twice, indicating that all remote control pairings have been successfully deleted.


How to install on the wall?

i *Your blind has been programmed before shipment. Please use it directly

1. PREPARATION




* Punch Diameter 0.2" (6mm)



2. ACCESSORIES



V



b x n




f x n


3. SHADES INSTALLATION (WITH VALANCE)

1. INSIDE MOUNT


01.



03.




02.




2. OUTSIDE MOUNT


01.




02.




03.



04.




How to Connect the Motor to Amazon Alexa and the Alexa App




1. First, connect the speaker to power.(Wait for the speaker to start up).
2. Press and hold the Volume Down and Mute buttons simultaneously for about 20 seconds to reset the speaker.(When you hear the confirmation sound, the reset is complete).Wait for the speaker to restart. After hearing the sound,you can add the speaker in the app.
3. Add the device in the app
4. Select the corresponding speaker.
5. Wait for the device to be added, then select your room's Wi-Fi network.(When you hear the confirmation sound, the connection is successful.)
6. Select the room where the speaker is located.

How to Connect the Motor to Amazon Alexa and the Alexa App




7. Add the device in the app.
8. Select the roller shade and the corresponding motor name.
9. Search for Devices.
10. Press the Pairing button on the roller shade 4 short presses 1 second each Then 1 long press Hold for 5 seconds Wait until the green LED starts flashing.
11. Change the Roller Shade Name.

How to Connect the Motor to Amazon Alexa and the Alexa App



12. Go to the More page and tap Routines.
13. Tap the Add button in the top-right corner.
14. Tap the first Add option.
15. Tap Voice. Enter the voice command to open or close the roller shade making sure the shade name matches the name you set.
16. Tap Add at the bottom.
17. Tap Smart Home.
18. Select the roller shade you want to control by voice. Tap Save. (Alexa, close the blind)

How to Connect the Roller Shade to the SmartThings App



1. Open the SmartThings app and make sure a Samsung hub that supports Matter and Zigbee has been added.
2. Add Device Tap Scan nearby.
3. Press the Pairing button on the roller shade 4 short presses 1 second each Then 1 long press Hold for 5 seconds Wait until the green LED starts flashing.
4. Wait for the Device to Be Added.
5. Tap "EDIT".
6. Tap "Save". And return to the home page.
7. click Zigbee Window Treatm...